

US NETTING **COMMERCIAL & INDUSTRIAL** **SAFETY PRODUCTS**



LOADING DOCK SAFETY NETS **PAGE 5**

CARGO LIFTING NETS **PAGE 10**

CONVEYOR NETTING **PAGE 14**

FALL SAFETY NETTING **PAGE 18**


HATCH NETTING **PAGE 20**

RACK NETTING **PAGE 25**

CUSTOM NETTING **PAGE 35**



1-800-331-2973 | [USNETTING.COM](https://www.usnetting.com)



US Netting

1514 Veshecco Drive
Erie, PA 16501

sales@usnetting.com

IMPORTANT NOTICE

Prices and products in this catalog are subject to change without notice and we are not responsible for any typing errors.

PHONE ORDERS
1-800-331-2973

ORDER ONLINE
usnetting.com

FAX ORDER
1-814-455-9336

Office Hours (EST)
Monday - Friday
8:30 - 5:00 pm

QUICK INDEX

Loading Dock Safety Nets.....	5-9
Cargo Lifting Nets.....	10
Kevlar™ Cargo Netting.....	12
Conveyor Netting.....	14-17
Fall Safety Netting.....	18
Debris Netting Panels.....	19
Gym Curtains.....	24
Plastic Rack Netting.....	25
Crushed Car Containment Netting.....	26
Plastic Netting Rolls.....	27
Shade Cloth.....	28-29
Bird Control.....	30
Rope Cargo Netting.....	31
Decorative Rope.....	32
Steel Cable Netting.....	34
Custom Netting.....	35-37



ABOUT US NETTING

At US Netting, Inc. we focus on three things: Quality, Safety, and Solutions. Since 1983, we have been dedicated to building the best custom nets and industrial safety products, a tradition we continue today. Each custom net or product is tailored to the requirements of the job, providing the exact solution the project requires, something stock size products from big box stores cannot supply.

We work with all types of customers from various industries who need the highest quality of safety products available on the market to ensure that all regulations and standards are met and all employees are kept safe. These customers have included private companies, consumers, television shows, production studios, and government agencies (US Army, Air Force, Marines, Coast Guard, National Guard, NASA). From Men in Black to NASA, our satisfied customer list is constantly growing. We are considered by many as the premier supplier and fabricator of custom nets and industrial safety products. Additionally, our selection of stock and bulk net materials is unmatched in variety and quality. Whether you are looking for a cargo net to lift 15 pounds or 50+ tons, a Kevlar™ reinforced net to protect personnel from possible shrapnel, or just a golf practice net for the backyard; we deliver the highest quality products.

In 2018, we acquired an additional 10,000 square feet of workspace making us a 35,000 square foot, two building, 3-1/2 acre campus located in Erie, Pennsylvania.

We look forward to working with you to design the quality custom solution your project deserves.

Paul V. Galla,
President



CONTRACT INFORMATION

A division of National Tool Grinding, Inc.

DUNS: 181272071

Cage Code: 009A6



FAA CERTIFIED REPAIR
STATION #9NTR146D

NAICS CODES

- 313220** - Narrow Fabric Mills and Schiffli Machine Embroidery
- 313240** - Knit Fabric Mills
- 314994** - Rope, Cordage, Twine, Tire Cord, and Tire Fabric Mills
- 314999** - All Other Miscellaneous Textile Product Mills
- 332618** - Other Fabricated Wire Product Manufacturing
- 332999** - All Other Miscellaneous Fabricated Metal Product Manufacturing
- 423510** - Metal Service Centers and Other Metal Merchant Wholesalers
- 423840** - Industrial Supplies Merchant Wholesalers (Primary)

PSC CODES

- 8340** - Tents and Tarpaulins
- 1670** - Parachutes; Aerial Pick Up, Delivery, Recovery Systems & Cargo Tie Down Equipment



NATIONAL SAFETY COUNCIL
Proud Member



ASTM
INTERNATIONAL

OSHA REQUIREMENTS FOR RAISED LOADING DOCKS

1910.28(b)(1)

Unprotected sides and edges.

1910.28(b)(1)(i)

Except as provided elsewhere in this section, the employer must ensure that each employee on a walking-working surface with an unprotected side or edge that is 4 feet (1.2 m) or more above a lower level is protected from falling by one or more of the following:

1910.28(b)(1)(i)(A)

Guardrail systems;

1910.28(b)(1)(i)(B)

Safety net systems; or

1910.28(b)(1)(i)(C)

Personal fall protection systems, such as personal fall arrest, travel restraint, or positioning systems.

Walking-Working Surfaces - Fall protection systems and falling object protection-criteria and practices


1910.29(b)(1)

The top edge height of top rails, or equivalent guardrail system members, are 42 inches (107 cm), plus or minus 3 inches (8 cm), above the walking-working surface. The top edge height may exceed 45 inches (114 cm), provided the guardrail system meets all other criteria of paragraph (b) of this section (see Figure D-11 of this section).

1910.29(b)(4)


When the 200-pound (890-N) test load is applied in a downward direction, the top rail of the guardrail system must not deflect to a height of less than 39 inches (99 cm) above the walking-working surface.

MEETS CALIFORNIA TITLE 8 REQUIREMENTS



WALL MOUNTED

LOADING DOCK NET



*Meets California Title 8 Requirements



FEATURES:

- 4 feet tall
- Easy to install
- Allows full door operation
- Low cost of ownership
- Reduces product loss
- All parts and brackets included
- Promotes workplace safety



OVERVIEW

SPECIFICATIONS:


- Webbing Material: 1 inch wide polyester
- Color: Safety Orange
- 2-inch Webbing top weight bearing strap
- Mesh Size: 6 inch on center
- (4) 3 foot adjustment straps on each side
- Snap hooks & cam buckles on each strap
- **Not rated for forklift impact but still meets OSHA requirements**



ITEM CODE:	SIZE(ft.):	PRICE:	ITEM CODE:	SIZE(ft.):	PRICE:
OHPW46-B	4' x 6'	\$1,266.69	OHPW420-B	4' x 20'	\$2,699.81
OHPW48-B	4' x 8'	\$1,330.21	OHPW422-B	4' x 22'	\$2,899.28
OHPW49-B	4' x 9'	\$1,372.14	OHPW424-B	4' x 24'	\$3,100.02
OHPW410-B	4' x 10'	\$1,496.65	OHPW426-B	4' x 26'	\$3,296.95
OHPW412-B	4' x 12'	\$1,727.88	OHPW428-B	4' x 28'	\$3,500.23
OHPW414-B	4' x 14'	\$2,021.37	OHPW430-B	4' x 30'	\$3,699.70
OHPW416-B	4' x 16'	\$2,251.33	OHPW432-B	4' x 32'	\$3,900.44
OHPW418-B	4' x 18'	\$2,499.07			

72" TALL WALL MOUNTED

LOADING DOCK NET



*Meets California Title 8 Requirements



Capable of stopping unmotorized handcarts and light-duty electric pallet trucks, this net mounts on brackets specially designed to not interfere with dock door operation. Additional height to this model allows further protection from pedestrians entering the warehouse.

DETAILS:

- Webbing Material: 1-inch wide polyester
- Color: safety orange
- 2-inch webbing top weight-bearing strap
- Mesh Size: 6 inch on center
- (5) 3 ft. adjustable straps with snap hook and cam buckle on each side
- Includes all hardware needed for installation
- **Not rated for forklift impact but still meets OSHA requirements**



OVERVIEW



ITEM CODE:	SIZE(ft.):	PRICE:	ITEM CODE:	SIZE(ft.):	PRICE:
OHPW66-B	4' x 6'	\$1,646.70	OHPW620-B	4' x 20'	\$3,509.75
OHPW68-B	4' x 8'	\$1,729.27	OHPW622-B	4' x 22'	\$3,769.06
OHPW69-B	4' x 9'	\$1,783.78	OHPW624-B	4' x 24'	\$4,030.03
OHPW610-B	4' x 10'	\$1,945.65	OHPW626-B	4' x 26'	\$4,286.04
OHPW612-B	4' x 12'	\$2,246.24	OHPW628-B	4' x 28'	\$4,550.30
OHPW614-B	4' x 14'	\$2,627.78	OHPW630-B	4' x 30'	\$4,809.61
OHPW616-B	4' x 16'	\$2,926.73	OHPW632-B	4' x 32'	\$5,070.57
OHPW618-B	4' x 18'	\$3,248.79			

ABOVE GROUND POST MOUNTED

LOADING DOCK NET



*Meets California Title 8 Requirements



SPECIFICATIONS:

- 4 feet tall
- Webbing Material: 1 inch wide polyester
- Color: Safety Orange
- 2-inch webbing top weight bearing strap
- Mesh Size: 6 inch on center
- (4) 3 foot adjustment straps on each side
- Snap hooks & cam buckles on each strap

INCLUDED HARDWARE:

- (2) Bollard post bases
- (2) Removable posts
- (8) Eye Bolts
- (12) 1-1/2 inch Lag Bolts
- Drill bit for pilot holes
- Marker for measurement



**FORKLIFT IMPACT RATING
OF 13,500 LBS. AT 5 MPH**



STORAGE DEVICE



OVERVIEW


ITEM CODE:	SIZE(ft.):	PRICE:	ITEM CODE:	SIZE(ft.):	PRICE:
OHPW46-P	4' x 6'	\$2,585.47	OHPW420-P	4' x 20'	\$3,401.13
OHPW48-P	4' x 8'	\$2,725.22	OHPW422-P	4' x 22'	\$3,534.53
OHPW49-P	4' x 9'	\$2,759.53	OHPW424-P	4' x 24'	\$3,667.93
OHPW410-P	4' x 10'	\$2,787.48	OHPW426-P	4' x 26'	\$3,801.34
OHPW412-P	4' x 12'	\$3,004.73	OHPW428-P	4' x 28'	\$3,934.74
OHPW414-P	4' x 14'	\$3,144.49	OHPW430-P	4' x 30'	\$4,201.54
OHPW416-P	4' x 16'	\$3,267.73	OHPW432-P	4' x 32'	\$4,261.26
OHPW418-P	4' x 18'	\$3,284.24			

IN-GROUND POST MOUNTED

LOADING DOCK NET



*Meets California Title 8 Requirements



SPECIFICATIONS:

- 4 feet tall
- Webbing Material: 1 inch wide polyester
- Color: Safety Orange
- 2-inch webbing top weight bearing strap
- Mesh Size: 6 inch on center
- (4) 3 foot adjustment straps on each side
- Snap hooks & cam buckles on each strap

INCLUDED HARDWARE:

- (2) Removable posts
- (8) Eye Bolts
- Post Sleeve for securing post in-ground



INSTALLATION



STORAGE
DEVICE




**FORKLIFT IMPACT RATING
OF 13,500 LBS. AT 5 MPH**

ITEM CODE:	SIZE(ft.):	PRICE:
OHIG46-P	4' x 6'	\$2,585.47
OHIG48-P	4' x 8'	\$2,725.22
OHIG49-P	4' x 9'	\$2,759.53
OHIG410-P	4' x 10'	\$2,787.48
OHIG412-P	4' x 12'	\$3,004.73
OHIG414-P	4' x 14'	\$3,144.49
OHIG416-P	4' x 16'	\$3,267.73
OHIG418-P	4' x 18'	\$3,284.24
OHIG420-P	4' x 20'	\$3,401.13
OHIG422-P	4' x 22'	\$3,534.53
OHIG424-P	4' x 24'	\$3,667.93
OHIG426-P	4' x 26'	\$3,801.34
OHIG428-P	4' x 28'	\$3,934.74
OHIG430-P	4' x 30'	\$4,201.54
OHIG432-P	4' x 32'	\$4,261.26

EXISTING BOLLARD

SAFETY NET PACKAGE



IMPORTANT NOTE: EXISTING BOLLARDS MUST BE A MINIMUM OF 51" HIGH *Meets California Title 8 Requirements

FEATURES:

- 4 feet tall
- Easy to install, no drilling
- Allows full door operation
- Low cost of ownership
- Fits existing bollards
- All parts included
- Space saving for tight areas
- Heavy duty steel rings

SPECIFICATIONS:

- Webbing Material: 1 inch wide polyester
- Color: Safety Orange
- 2-inch webbing top weight bearing strap
- Mesh size: 6 inch on center
- (4) 3 foot adjustment straps on each side
- Snap hooks & cam buckles on each strap
- **Not rated for forklift impact but still meets OSHA requirements**



OVERVIEW



STORAGE DEVICE
(ring size 7 or smaller)

	SIZE #5 3-1/2" - 4-1/2" bollard diameter		SIZE #6 4-5/8" - 5-1/2" bollard diameter		SIZE #7 5-5/8" - 6-5/8" bollard diameter	
NET SIZE(ft.):	ITEM CODE:	PRICE:	ITEM CODE:	PRICE:	ITEM CODE:	PRICE:
4' x 6'	BRSN-46-5	\$1,921.00	BRSN-46-6	\$1,992.14	BRSN-46-7	\$2,128.09
4' x 8'	BRSN-48-5	\$1,988.33	BRSN-48-6	\$2,059.48	BRSN-48-7	\$2,196.69
4' x 9'	BRSN-49-5	\$2,032.80	BRSN-49-6	\$2,103.95	BRSN-49-7	\$2,243.70
4' x 10'	BRSN-410-5	\$2,167.47	BRSN-410-6	\$2,238.62	BRSN-410-7	\$2,380.92
4' x 12'	BRSN-412-5	\$2,412.68	BRSN-412-6	\$2,483.83	BRSN-412-7	\$2,635.02
4' x 14'	BRSN-414-5	\$2,726.49	BRSN-414-6	\$2,797.64	BRSN-414-7	\$2,957.72
4' x 16'	BRSN-416-5	\$2,971.70	BRSN-416-6	\$3,042.85	BRSN-416-7	\$3,211.82
4' x 18'	BRSN-418-5	\$3,235.96	BRSN-418-6	\$3,307.11	BRSN-418-7	\$3,483.71
4' x 20'	BRSN-420-5	\$3,449.41	BRSN-420-6	\$3,520.56	BRSN-420-7	\$3,704.78
4' x 22'	BRSN-422-5	\$3,662.85	BRSN-422-6	\$3,734.00	BRSN-422-7	\$3,924.57
4' x 24'	BRSN-424-5	\$3,876.30	BRSN-424-6	\$3,947.44	BRSN-424-7	\$4,144.37
4' x 26'	BRSN-426-5	\$4,089.74	BRSN-426-6	\$4,160.89	BRSN-426-7	\$4,364.17
4' x 28'	BRSN-428-5	\$4,303.18	BRSN-428-6	\$4,374.33	BRSN-428-7	\$4,585.23
4' x 30'	BRSN-430-5	\$4,516.63	BRSN-430-6	\$4,587.78	BRSN-430-7	\$4,805.03
4' x 32'	BRSN-432-5	\$4,723.72	BRSN-432-6	\$4,799.95	BRSN-432-7	\$5,024.83
	SIZE #8 6-3/4" - 7-5/8" bollard diameter		SIZE #9 7-3/4" - 8-5/8" bollard diameter		SIZE #10 8-3/4" - 9-5/8" bollard diameter	
NET SIZE(ft.):	ITEM CODE:	PRICE:	ITEM CODE:	PRICE:	ITEM CODE:	PRICE:
4' x 6'	BRSN-46-8	\$2,389.81	BRSN-46-9	\$2,458.42	BRSN-46-10	\$2,648.99
4' x 8'	BRSN-48-8	\$2,464.77	BRSN-48-9	\$2,533.38	BRSN-48-10	\$2,723.95
4' x 9'	BRSN-49-8	\$2,515.59	BRSN-49-9	\$2,584.20	BRSN-49-10	\$2,774.77
4' x 10'	BRSN-410-8	\$2,666.78	BRSN-410-9	\$2,735.39	BRSN-410-10	\$2,925.96
4' x 12'	BRSN-412-8	\$2,943.75	BRSN-412-9	\$3,012.36	BRSN-412-10	\$3,202.93
4' x 14'	BRSN-414-8	\$3,233.42	BRSN-414-9	\$3,241.05	BRSN-414-10	\$3,431.62
4' x 16'	BRSN-416-8	\$3,572.65	BRSN-416-9	\$3,641.25	BRSN-416-10	\$3,831.83
4' x 18'	BRSN-418-8	\$3,869.94	BRSN-418-9	\$3,938.55	BRSN-418-10	\$4,129.13
4' x 20'	BRSN-420-8	\$4,110.07	BRSN-420-9	\$4,178.67	BRSN-420-10	\$4,369.25
4' x 22'	BRSN-422-8	\$4,350.19	BRSN-422-9	\$4,418.80	BRSN-422-10	\$4,609.37
4' x 24'	BRSN-424-8	\$4,590.32	BRSN-424-9	\$4,658.92	BRSN-424-10	\$4,849.50
4' x 26'	BRSN-426-8	\$4,830.44	BRSN-426-9	\$4,899.05	BRSN-426-10	\$5,089.62
4' x 28'	BRSN-428-8	\$5,070.57	BRSN-428-9	\$5,139.17	BRSN-428-10	\$5,329.75
4' x 30'	BRSN-430-8	\$5,310.69	BRSN-430-9	\$5,379.30	BRSN-430-10	\$5,569.87
4' x 32'	BRSN-432-8	\$5,550.81	BRSN-432-9	\$5,619.42	BRSN-432-10	\$5,810.00

MILITARY GRADE CARGO LIFTING NET


4,500 LBS. LIFTING CAPACITY

FEATURES:

- 4,500 lbs. lifting capacity
- Made with 2-inch wide black polyester webbing with ORANGE center load bearing straps
- Large loop on each corner

LOAD BEARING STRAPS:

The military grade cargo lifting net has load bearing straps (indicated in orange) which serve as a high-visibility loading area; great for capturing the load in low-visibility. The weave in the net provides added strength for lifting applications.



 OVERVIEW



6.25" MESH OPENING

ITEM CODE:	SIZE(ft.):	PRICE:
MGCLN-625-6-2W	6' x 6'	\$908.41
MGCLN-625-8-2W	8' x 8'	\$1,264.15
MGCLN-625-10-2W	10' x 10'	\$1,605.91
MGCLN-625-12-2W	12' x 12'	\$3,003.46
MGCLN-625-14-2W	14' x 14'	\$4,361.63
MGCLN-625-16-2W	16' x 16'	\$5,437.74
MGCLN-625-20-2W	20' x 20'	\$6,078.07
MGCLN-625-25-2W	25' x 25'	\$7,095.74
MGCLN-625-30-2W	30' x 30'	\$8,194.73

10" MESH OPENING

ITEM CODE:	SIZE(ft.):	PRICE:
MGCLN-10-6-2W	6' x 6'	\$698.78
MGCLN-10-8-2W	8' x 8'	\$952.88
MGCLN-10-10-2W	10' x 10'	\$1,237.47
MGCLN-10-12-2W	12' x 12'	\$2,403.79
MGCLN-10-14-2W	14' x 14'	\$3,488.79
MGCLN-10-16-2W	16' x 16'	\$4,049.08
MGCLN-10-20-2W	20' x 20'	\$4,637.33
MGCLN-10-25-2W	25' x 25'	\$5,780.78
MGCLN-10-30-2W	30' x 30'	\$6,797.18



COMMERCIAL GRADE CARGO LIFTING NET

7,000 LBS. LIFTING CAPACITY

FEATURES:


- 7,000 lbs. lifting capacity
- Made with 2-inch wide orange polyester webbing with black center load bearing straps
- 10 inch openings
- Large double-layered loop on each corner

LOAD BEARING STRAPS:

The commercial grade cargo lifting net has load bearing straps (indicated in black) which serve as a high-visibility loading area; great for capturing the load in low-visibility. The weave in the net provides added strength for lifting applications.

10" MESH OPENING

ITEM CODE:	SIZE(ft.):	PRICE:
CGCLN-10-6-2W	6' x 6'	\$873.47
CGCLN-10-8-2W	8' x 8'	\$1,191.09
CGCLN-10-10-2W	10' x 10'	\$1,546.83
CGCLN-10-12-2W	12' x 12'	\$3,004.73
CGCLN-10-14-2W	14' x 14'	\$4,360.99
CGCLN-10-16-2W	16' x 16'	\$5,061.35
CGCLN-10-20-2W	20' x 20'	\$5,796.66
CGCLN-10-25-2W	25' x 25'	\$7,225.97
CGCLN-10-30-2W	30' x 30'	\$8,496.47




KEVLAR™ SPECIALTY CARGO NETS

Kevlar™ specialty cargo nets are specifically built for high-stress applications. We hand make these nets for durability and extreme conditions.

For the project below, we designed and manufactured a Kevlar™ blanket reinforced with polyester webbing and heavy-duty fasteners.

- High stress
- High heat
- Does not melt
- Resistant to acid, bases, water, saltwater
- Impact-resistant



KEVLAR™

Kevlar™ is lightweight, high strength, and highly flame/heat resistant for your most demanding applications.

- Flame/heat resistance
- Loss of strength at 500° F
- Low electrical conductivity
- Lightweight
- High chemical resistance
- Low thermal shrinkage
- Excellent dimensional stability



CARGO NETTING ROLLS

FOR ANY APPLICATION

Cargo netting by the roll can be used for a wide array of applications. Excellent when used to contain debris on any size truck or the racking of your warehouse. Sold in increments of 12.5 feet.



SPECIFICATIONS:

- 1-inch polypropylene webbing with 700 lbs. tensile strength.
- 6-inch openings with surrounding orange webbing and markers at every 12.5 feet make it easy to cut and measure.

ITEM CODE:	SIZE(ft.):	PRICE:	ITEM CODE:	SIZE(ft.):	PRICE:
CNR4125	4' x 12.5'	\$182.09	CNR850	8' x 50'	\$1,806.65
CNR425	4' x 25'	\$365.01	CNR8100	8' x 100'	\$3,759.41
CNR450	4' x 50'	\$730.05	CNR1215	12' x 12.5'	\$548.22
CNR4100	4' x 100'	\$1,978.17	CNR1225	12' x 25'	\$1098.98
CNR8125	8' x 12.5'	\$451.66	CNR1250	12' x 50'	\$2,521.94
CNR825	8' x 25'	\$903.33	CNR12100	12' x 100'	\$5,050.24



LIGHT DUTY CONVEYOR NETTING

FEATURES:



- Fiber: Knotted Nylon
- Mesh Size: 3/4"
- Cord Diameter: 1/8"
- Tensile Strength: 210 lbs.
- Rope Border: 3/8" nylon rope
- Snap Hooks: Placed approximately every 4'

Light duty conveyor netting is a type of netting that is specifically designed to be used on light duty conveyors that are conveying light loads. This type of netting is made from a light-weight nylon material. Light duty conveyor netting is used to contain light items, such as clothes, small electronics, food processing, and more. This type of netting is typically not as strong as other types of netting, and is not recommended for use on heavy duty conveyors. Light duty conveyor netting is available in various widths and lengths, and can be custom-made to fit your specific needs.

ITEM CODE:	SIZE(ft.):	PRICE:
CVNLD-325	3' x 25'	\$501.80
CVNLD-350	3' x 50'	\$967.20
CVNLD-625	6' x 25'	\$627.90
CVNLD-650	6' x 50'	\$1,185.60
CVNLD-925	9' x 25'	\$807.30
CVNLD-950	9' x 50'	\$1,517.10



OVERVIEW



HEAVY DUTY CONVEYOR NETTING

FEATURES:



- Fiber: High Tenacity Knotless Nylon
- Mesh Size: 2-3/4"
- Cord Diameter: 1/4"
- Mesh Break: 1,146 LBF
- Melting Point: 491°F
- Rope Border: 1/2" nylon rope
- Snap Hooks: Placed approximately every 4'

Heavy duty conveyor netting is a type of netting that is designed to be used on heavy duty conveyor belts. The netting is made from a heavy duty knotless nylon that is able to withstand the weight of the heavy duty conveyor belt. The netting is also designed to be able to withstand the high temperatures that are present on the heavy duty conveyor belt.

ITEM CODE:	SIZE(ft.):	PRICE:
CVNHD-325	3' x 25'	\$720.20
CVNHD-350	3' x 50'	\$1,392.30
CVNHD-625	6' x 25'	\$933.40
CVNHD-650	6' x 50'	\$1,796.60
CVNHD-925	9' x 25'	\$1,359.80
CVNHD-950	9' x 50'	\$2,407.60



OVERVIEW




HEAVY DUTY CONVEYOR NETTING

WITH DEBRIS LINER

FEATURES:

- Fiber: High Tenacity Knotless Nylon
- Mesh Size: 2-3/4"
- Cord Diameter: 1/4"
- Mesh Break: 1,146 LBF
- Melting Point: 491°F
- Rope Border: 1/2" nylon rope
- Snap Hooks: Placed approximately every 4'
- Debris Net Mesh Size: 1/16"
- Debris Net Material: Fire Retardant Knitted High Density Polyethylene

The heavy duty conveyor netting with debris liner is a great way to keep your conveyor belt clean and free of debris. The heavy duty netting is made of a durable material that can withstand the heavy workload of a conveyor belt. The debris liner is also made of a durable material that will protect your conveyor belt from dirt and debris. The heavy duty conveyor netting with debris liner is easy to install and comes with snap hooks to attach to your frame.



ITEM CODE:	SIZE(ft.):	PRICE:
CVNHD-L-325	3' x 25'	\$822.90
CVNHD-L-350	3' x 50'	\$1,647.10
CVNHD-L-625	6' x 25'	\$1,666.60
CVNHD-L-650	6' x 50'	\$3,294.20
CVNHD-L-925	9' x 25'	\$2,470.00
CVNHD-L-950	9' x 50'	\$4,169.10




OVERVIEW




THE DIAGRAMS BELOW DEPICT HOW A TYPICAL CONVEYOR NET SYSTEM IS INSTALLED USING OUR FABRICATED PANELS.

Attach nets to frame using supplied snap hooks



View of one large panel wrapped around the conveyor and attached at the top.

Attach nets to frame using supplied snap hooks



View of four separate panels creating a cage around the conveyor.

Join nets together using provided snap hooks



Attach nets to frame using supplied snap hooks

Top view of conveyor with net panels beneath.

Join nets together using provided snap hooks



Attach nets to frame using supplied snap hooks

Side view with net panels on both sides of the conveyor.

PERSONNEL FALL SAFETY NET

FEATURES:

- Each net includes a tag indicating its serial number, manufacturing date, composition, and prototype test date.
- Handmade in the USA
- Made from UV inhibited Type 6, 6 nylon
- 5,000 lb. minimum test synthetic rope border

BENEFITS:

- Workers remain safe
- Meet OSHA 1926.105 requirements
- Increases morale on the job site
- Customizable configurations available upon request

QUALIFICATIONS:

Our personnel safety nets have been tested to meet or exceed ANSI A10.11 (dated 2010) and meet OSHA 1926.105 requirements. Tested to provide workers from falls up to 30 feet.



ITEM CODE:	SIZE(ft.):	PRICE:	ITEM CODE:	SIZE(ft.):	PRICE:
PS510	5' x 10'	\$222.34	PS1520	15' x 20'	\$748.96
PS1010	10' x 10'	\$451.98	PS1540	15' x 40'	\$1,343.44
PS1015	10' x 15'	\$485.05	PS2025	20' x 25'	\$1,142.56
PS1020	10' x 20'	\$617.46	PS2040	20' x 40'	\$1,731.30
PS1040	10' x 40'	\$1,097.71	PS2525	25' x 25'	\$1,380.72
PS1515	15' x 15'	\$593.07	PS2550	25' x 50'	\$2,574.02



DEBRIS NETTING PANELS


FABRICATED PANELS

SPECIFICATIONS:

- Easy to install
- Reinforced border with brass grommets
- Durable UV-treated high-density polyethylene
- Will not unravel when cut
- Flexible in severe temperatures

COMMON APPLICATIONS:

- Sand blast curtains
- Vision/privacy barrier
- Wind protection
- Cargo containment
- Any use other than lifting or fall safety



OVERVIEW

STANDARD DUTY

ITEM CODE:	SIZE(ft.):	PRICE:
USN-DEB-1020	10' x 20'	\$273.00
USN-DEB-1040	10' x 40'	\$546.00
USN-DEB-1240	12' x 40'	\$676.80
USN-DEB-2040	20' x 40'	\$870.00
USN-DEB-10100	10' x 100'	\$1,444.56
USN-DEB-2550	25' x 50'	\$1,704.00
USN-DEB-1580	15' x 80'	\$1,692.00
USN-DEB-2080	20' x 80'	\$2,256.00

COLORS AVAILABLE: BLACK, WHITE, GREEN, BLUE, GRAY, ORANGE

HEAVY DUTY

ITEM CODE:	SIZE(ft.):	PRICE:
USN-DEB-HD-1020	10' x 20'	\$294.00
USN-DEB-HD-1040	10' x 40'	\$618.00
USN-DEB-HD-1240	12' x 40'	\$757.80
USN-DEB-HD-2040	20' x 40'	\$932.40
USN-DEB-HD-10100	10' x 100'	\$1,884.00
USN-DEB-HD-10100	25' x 50'	\$1,884.00
USN-DEB-HD-1580	15' x 80'	\$1,896.00
USN-DEB-HD-2080	20' x 80'	\$2,394.00

COLORS AVAILABLE: BLACK, WHITE, GREEN



MULTI-BRACKET HATCH NETTING

RECTANGULAR

FEATURES:

- All stainless steel hardware
- Easily installed in virtually any floor or roof opening
- 5-year warranty against defects in material and craftsmanship. Any modification to the system voids this warranty!
- Improves employee safety while allowing freedom of movement and full visibility of area below net for inspections and sampling

SPECIFICATIONS:


- 2" x 2" x .25" thick 304 Stainless Steel Brackets
- Snap Hooks - 3/8" diameter stainless steel. All mounting hardware is stainless steel for corrosive environments.
- 1" UV resistant polyester
- Tensile strength: 3,800 lbs.

COMPLIANCE DETAILS:



- OSHA 1910.23 Conformance
- OSHA 1910.145 Label Specification
- OSHA 1910.144 Color Specification
- OSHA 1926.105 Safety Nets

MAINTENANCE SCHEDULE:

Product should be inspected semi-annually by each owner. Inspect webbing for visible decay, fraying, and ripped stitches. Hardware should be checked for damage and broken or bent pieces.



ITEM CODE:	SIZE(ft.):	PRICE:
HNCSSN-B-22	2' x 2'	\$285.86
HNCSSN-B-23	2' x 3'	\$428.79
HNCSSN-B-24	2' x 4'	\$571.73
HNCSSN-B-25	2' x 5'	\$714.66
HNCSSN-B-33	3' x 3'	\$643.19
HNCSSN-B-34	3' x 4'	\$857.59
HNCSSN-B-35	3' x 5'	\$1,071.98
HNCSSN-B-44	4' x 4'	\$1,143.45
HNCSSN-B-45	4' x 5'	\$1,429.31
HNCSSN-B-46	4' x 6'	\$1,715.18
HNCSSN-B-55	5' x 5'	\$1,786.64
HNCSSN-B-66	6' x 6'	\$2,572.76



MULTI-BRACKET HATCH NETTING


ROUND

FEATURES:

- All stainless steel hardware
- Easily installed in virtually any floor or roof opening
- 5-year warranty against defects in material and craftsmanship. Any to the system voids this warranty!
- Improves employee safety while allowing freedom of movement and full visibility of area below net for inspections and sampling

SPECIFICATIONS:

- 2" x 2" x .25" thick 304 Stainless Steel Brackets
- Snap Hooks - 3/8" diameter stainless steel. All mounting hardware is stainless steel for corrosive environments.
- 1" UV resistant polyester
- Tensile strength: 3,800 lbs.



ITEM CODE:	DIAMETER(ft.):	PRICE:
RHNCSSN-B-2	2'	\$285.86
RHNCSSN-B-3	3'	\$643.19
RHNCSSN-B-4	4'	\$1,143.45
RHNCSSN-B-5	5'	\$1,786.64
RHNCSSN-B-6	6'	\$2,572.76
RHNCSSN-B-7	7'	\$3,501.82

COMPLIANCE DETAILS:




- OSHA 1910.23 Conformance
- OSHA 1910.145 Label Specification
- OSHA 1910.144 Color Specification
- OSHA 1926.105 Safety Nets



OVERVIEW

MAINTENANCE SCHEDULE:


Product should be inspected semi-annually by each owner. Inspect webbing for visible decay, fraying, and ripped stitches. Hardware should be checked for damage and broken or bent pieces.



NETTING BY THE ROLL

AVAILABLE IN THREE TYPES

2020 Light duty




DETAILS:

- Name: USN2020
- Mesh Size: 3/4"
- Mesh Break: 180 LBF
- Knotless polypropylene
- Light duty applications
- Used as bird netting, as a small pet barrier, within the home, and for light duty applications.
- Color: Black, red, blue, yellow, white



AVAILABLE SIZES(ft.):		
4' x 10'	8' x 10'	12' x 10'
4' x 25'	8' x 25'	12' x 25'
4' x 50'	8' x 50'	12' x 50'

4045 Medium duty




DETAILS:

- Name: USN4045
- Mesh Size: 1-3/4"
- Mesh Break: 280 LBF
- Knotless polypropylene
- Used for industrial purposes, shelf containment or racking, cargo containment, as a divider or sports barrier.
- Color: Black, green, white



AVAILABLE SIZES(ft.):		
4' x 10'	8' x 10'	12' x 10'
4' x 25'	8' x 25'	12' x 25'
4' x 50'	8' x 50'	12' x 50'

6070 Heavy duty



DETAILS:

- Name: USN6070
- Mesh Size: 2.76"
- Breaking Force: 1,146.53 lbs.
- Color: Black
- Knotless nylon
- Heavy duty applications
- Used for industrial purposes, shelf containment or racking, cargo containment, as a divider or sports barrier.

AVAILABLE SIZES(ft.):


4' x 10'
4' x 25'
4' x 50'
8' x 10'
8' x 25'
8' x 50'
12' x 10'
12' x 25'
12' x 50'

GOLF NETTING

STANDARD SIZE PANELS

DETAILS:

- Mesh Size: 3/4"
- Cord: 1.7mm
- Twine Size: #21
- Strength: 210 lbs.
- Diamond or square mesh
- All net panels have 3/8" nylon rope border



3/4" DIAMOND MESH

ITEM CODE:	SIZE(ft.):	PRICE:
SN-DM-21-34-1515	15' x 15'	\$485.51
SN-DM-21-34-1530	15' x 30'	\$882.97
SN-DM-21-34-2020	20' x 20'	\$784.86
SN-DM-21-34-2025	20' x 25'	\$951.73
SN-DM-21-34-2050	20' x 50'	\$1,786.07
SN-DM-21-34-20100	20' x 100'	\$2,767.15
SN-DM-21-34-2525	25' x 25'	\$1,152.98
SN-DM-21-34-2550	25' x 50'	\$2,159.21
SN-DM-21-34-25100	25' x 100'	\$4,171.69
SN-DM-21-34-3030	30' x 30'	\$1,589.85
SN-DM-21-34-3050	30' x 50'	\$2,532.36
SN-DM-21-34-30100	30' x 100'	\$4,888.63
SN-DM-21-34-4040	40' x 40'	\$2,669.88
SN-DM-21-34-4050	40' x 50'	\$3,278.65
SN-DM-21-34-40100	40' x 100'	\$6,322.52
SN-DM-21-34-5050	50' x 50'	\$4,024.94
SN-DM-21-34-50100	50' x 100'	\$7,756.40

3/4" SQUARE MESH

ITEM CODE:	SIZE(ft.):	PRICE:
SN-SQ-21-34-1515	15' x 15'	\$640.22
SN-SQ-21-34-1530	15' x 30'	\$1,192.39
SN-SQ-21-34-2020	20' x 20'	\$1,059.90
SN-SQ-21-34-2025	20' x 25'	\$1,295.53
SN-SQ-21-34-2050	20' x 50'	\$2,473.66
SN-SQ-21-34-20100	20' x 100'	\$4,829.93
SN-SQ-21-34-2525	25' x 25'	\$1,582.73
SN-SQ-21-34-2550	25' x 50'	\$3,018.71
SN-SQ-21-34-25100	25' x 100'	\$5,890.67
SN-SQ-21-34-3030	30' x 30'	\$2,208.69
SN-SQ-21-34-3050	30' x 50'	\$3,563.75
SN-SQ-21-34-30100	30' x 100'	\$6,951.41
SN-SQ-21-34-4040	40' x 40'	\$3,770.03
SN-SQ-21-34-4050	40' x 50'	\$4,653.84
SN-SQ-21-34-40100	40' x 100'	\$9,072.89
SN-SQ-21-34-5050	50' x 50'	\$5,743.93
SN-SQ-21-34-50100	50' x 100'	\$11,194.38



GYM DIVIDER CURTAINS

Divide your gym into sections with our high quality USA made gym curtains.

- All materials are fire retardant
- White 10 OZ Vinyl Coated Mesh Top
 - Top grommeted every foot for simple hanging
- 18 OZ Vinyl Coated Polyester Bottom
 - Internally weighted with chain
 - 7 colors: Black, gray, red, royal blue, tan, white, yellow
- Customize bottom to top material ratio
- Pricing:
 - Under 500 square feet: \$4.09/sq. ft.
 - Over 500 square feet: \$3.59/sq. ft.



ITEM CODE:

CGC-BLK (black)	CGC-T (tan)
CGC-G (gray)	CGC-W (white)
CGC-R (red)	CGC-Y (yellow)
CGC-RB (royal blue)	

IMPORTANT NOTICE:

Our gym curtains are manual walk-draw style curtains only. We do not carry motorized or roll-up style gym curtains. If attachments are necessary, you must speak with a sales representative at 1-800-331-2973.




CUSTOM GYM NETS

We have experience fabricating custom gym nets for special uses including hanging indoor softball or baseball cages, dodge-ball enclosures, and scoreboard protection nets. Since these projects vary in size or requirements between different facilities, we do not offer stock sizes. Please call for more information and to order. Our sales team will work with you to develop the best netting solution for the job.




Ready to order? Give us a call at 1-800-331-2973 for a custom quote.


SUSPENSION TECHNIQUES




Beam Flange




Beam or Chain




Ceiling



Threaded Rod



Wall Mount



Roller Track

Used in conjunction with suspension techniques

Please call 1-800-331-2973 to order attachment points.

PLASTIC RACK NET ROLLS

PALLET RACK NETTING FOR SAFETY

DETAILS:

- Tensile strength of 925 lbs.
- Mesh Size: 1" x 1-1/2"
- Made from polypropylene
- Comes in roll size 7'6" by 100'
- Fasten to racking with zip ties



ITEM CODE:	SIZE(ft.):	PRICE:
RSNP8100	7'x6" x 100'	\$845



OVERVIEW

KNOTTED NYLON RACK SAFETY NETS

Medium Duty Rack Safety Net

- 4" mesh openings
- 310 lbs. tensile strength
- 3/8" rope border



Heavy Duty Rack Safety Net

- 3-1/2" mesh openings
- 1,145 lbs. tensile strength
- 1/2" rope border



ITEM CODE:	SIZE(ft.):	PRICE:
RACKIT-MD-1020	10' x 20'	\$310.50
RACKIT-MD-1025	10' x 25'	\$373.89
RACKIT-MD-1030	10' x 30'	\$437.25
RACKIT-MD-1040	10' x 40'	\$564.00
RACKIT-MD-1050	10' x 50'	\$690.75
RACKIT-MD-2020	20' x 20'	\$507.00
RACKIT-MD-2025	20' x 25'	\$605.25
RACKIT-MD-2030	20' x 30'	\$703.50
RACKIT-MD-2040	20' x 40'	\$900.00
RACKIT-MD-2050	20' x 50'	\$1096.50


ITEM CODE:	SIZE(ft.):	PRICE:
RACKIT-HD-1020	10' x 20'	\$908.41
RACKIT-HD-1025	10' x 25'	\$1,111.05
RACKIT-HD-1030	10' x 30'	\$1,310.20
RACKIT-HD-1040	10' x 40'	\$1,712.70
RACKIT-HD-1050	10' x 50'	\$2,115.19
RACKIT-HD-2020	20' x 20'	\$1,610.68
RACKIT-HD-2025	20' x 25'	\$1,974.87
RACKIT-HD-2030	20' x 30'	\$2,312.95
RACKIT-HD-2040	20' x 40'	\$3,015.21
RACKIT-HD-2050	20' x 50'	\$3,717.48

CRUSHED CAR CONTAINMENT NETTING

- Improves highway safety
- Complies with new regulations for transport of crushed cars
- Disposable
- Economical
- Easy to apply
- Wide variety of roll sizes
- Highly visible
- Minimal wind resistance
- Color: Orange

3/4" MESH SIZE

PRODUCT:	WIDTH(in.):	LENGTH(ft.):	ITEM CODE:	PRICE:
CTN34-56	56"	1,000'	CTN34-56-1000	\$319.06
	56"	2,500'	CTN34-56-2500	\$777.74
	56"	5,000'	CTN34-56-5000	\$1,445.63
CTN34-84	84"	1,000'	CTN34-84-1000	\$477.12
	84"	2,500'	CTN34-84-2500	\$1,163.46
	84"	5,000'	CTN34-84-5000	\$2,199.04
CTN34-102	102"	500'	CTN34-102-500	\$431.42
	102"	1,000'	CTN34-102-1000	\$829.31
	102"	2,500'	CTN34-102-2500	\$1,974.32
	102"	5,000'	CTN34-102-5000	\$3,144.37
CTN34-168	168"	500'	CTN34-168-500	\$492.64
	168"	1,000'	CTN34-168-1000	\$953.41
	168"	2,500'	CTN34-168-2500	\$2,238.46
	168"	5,000'	CTN34-168-5000	\$4,333.94
CTN34-204	204"	500'	CTN34-204-500	\$861.17
	204"	1,000'	CTN34-204-1000	\$1,654.84
	204"	2,500'	CTN34-204-2500	\$3,946.96
	204"	5,000'	CTN34-204-5000	\$7,262.51



PLASTIC NETTING ROLLS

* TD: Transverse Direction / MD: Machine Direction



C-FLEX P - Oriented Polypropylene, Strength - TD: 685 lbs./ft. - MD: 548 lbs./ft.

ITEM CODE:	MESH SHAPE:	MESH(in.):	COLOR:	SIZE(ft.):	PRICE:
CFP00-7.4	Quadrangular	2"	Black	100' x 7.5'	\$486.26
CFP64-7.4	Quadrangular	2"	Black	164' x 7.5'	\$683.92
CFP30-7.4	Quadrangular	2"	Black	330' x 7.5'	\$1,078.04



C-FLEX T - Bi-Oriented : Polypropylene, Strength - TD: 400 lbs./ft. - MD: 350 lbs./ft.

ITEM CODE:	MESH SHAPE:	MESH(in.):	COLOR:	SIZE(ft.):	PRICE:
CFLEXT65-4	Quadrangular	2.17"	Black	165' x 4'	\$286.30
CFLEXT30-4	Quadrangular	2.17"	Black	330' x 4'	\$483.97
CFLEXT65-6	Quadrangular	2.17"	Black	165' x 6'	\$334.02
CFLEXT30-6	Quadrangular	2.17"	Black	330' x 6'	\$636.41
CFLEXT65-7.5	Quadrangular	2.17"	Black	165' x 7.5'	\$402.71
CFLEXT30-7.5	Quadrangular	2.17"	Black	330' x 7.5'	\$696.98



C-FLEX - Oriented Polypropylene, Strength - TD: 685 lbs./ft. - MD: 277 lbs./ft.

ITEM CODE:	MESH SHAPE:	MESH(in.):	COLOR:	SIZE(ft.):	PRICE:
CFlex00-6	Quadrangular	2"	Black	100' x 6'	\$309.30
CFlex00-7.5	Quadrangular	2"	Black	100' x 7.5'	\$367.43
CFlex30-6	Quadrangular	2"	Black	330' x 6'	\$781.45
CFlex30-7.5	Quadrangular	2"	Black	330' x 7.5'	\$843.90




C-FLEX R - Bi-Oriented : Polypropylene, Strength - TD: 300 lbs./ft. - MD: 280 lbs./ft.

ITEM CODE:	MESH SHAPE:	MESH(in.):	COLOR:	SIZE:	PRICE:
CFLEXR30-3	Quadrangular	0.7"	Black	330' x 36"	\$243.70
CFLEXR30-4	Quadrangular	0.7"	Black	330' x 46"	\$302.66
CFLEXR30-5	Quadrangular	0.7"	Black	330' x 58"	\$440.23
CFLEXR30-6	Quadrangular	0.7"	Black	330' x 70"	\$483.47
CFLEXR30-13.1	Quadrangular	0.7"	Black	330' x 154"	\$1,194.91



ORNEX LM - Oriented Polypropylene, Strength - TD: 54.8 lbs./ft. - MD: 68.5 lbs./ft.

ITEM CODE:	MESH SHAPE:	MESH(in.):	COLOR:	SIZE(ft.):	PRICE:
OxLM00-14	Quadrangular	0.8"	Black	100' x 14'	\$204.35
OxLM00-14	Quadrangular	0.8"	Black	500' x 14'	\$533.11
OxLM00-15.5	Quadrangular	0.8"	Black	700' x 15.5'	\$739.04
OxLM000-14	Quadrangular	0.8"	Black	1,000' x 14'	\$964.21
OxLM000-14	Quadrangular	0.8"	Black	5,000' x 14'	\$3,776.38



Example of webbed border

SHADE CLOTH

- Open lockstitch design reduces wind speed and heat build-up while allowing water permeation and ventilation.
- Lightweight and easy-to-install. HDPE shade cloth is 20-25% lighter than woven shade cloth with dramatically more strength. Can be cut on site and will not unravel.
- UV resistant, high-density polyethylene.
- Shade cloth is available in widths up to 34 feet.
- Resists horticulture chemicals, sprays, and detergents.
- Less evaporation to prevent loss of moisture.
- Tough lockstitch knitted construction resists rips, tears and fraying. Shade levels remain constant during product life.
- Lightweight and easy to install: 20-25% lighter than woven shade cloth with dramatically more strength.
- Tough lockstitch knitted construction: Resists rips, tears and fraying.

DENSITY SCALE




TIPS TO REMEMBER: 30-50% densities are typically better for vegetation. 80-90% is ideal for human and animal coverings.



BLACK SHADE CLOTH WITH BORDER

- 60% Density
- Material: Knitted high density polyethylene.
- 2" webbing border with grommets.

ITEM CODE:	DENSITY:	PRICE(sq. ft.):
SC-60-BLK-SQ	60%	\$1.14



ALUMINET WITH BORDER

- 60% Density
- Material: Knitted high density polyethylene.
- 2" webbing border with grommets.


ITEM CODE:	DENSITY:	PRICE(sq. ft.):
SC-60-ALM-SQ	60%	\$1.56



WHITE SHADE CLOTH WITH BORDER

- 50% Density
- Material: Knitted high density polyethylene.
- 2" webbing border with grommets.


ITEM CODE:	DENSITY:	PRICE(sq. ft.):
SC-50-WHT-SQ	50%	\$1.45



RED SHADE CLOTH WITH BORDER

- 60% Density
- Material: Knitted high density polyethylene.
- 2" webbing border with grommets.

ITEM CODE:	DENSITY:	PRICE(sq. ft.):
SC-60-RED-SQ	60%	\$1.33



GREEN SHADE CLOTH WITH BORDER

- 70% Density
- Material: Knitted high density polyethylene.
- 2" webbing border with grommets.


ITEM CODE:	DENSITY:	PRICE(sq. ft.):
SC-70-GR-SQ	70%	\$1.27



TAN SHADE CLOTH WITH BORDER

- 70% Density
- Material: Knitted high density polyethylene.
- 2" webbing border with grommets.

ITEM CODE:	DENSITY:	PRICE(sq. ft.):
SC-70-TAN-SQ	70%	\$1.33



BLUE SHADE CLOTH WITH BORDER

- 60% Density
- Material: Knitted high density polyethylene.
- 2" webbing border with grommets.

ITEM CODE:	DENSITY:	PRICE(sq. ft.):
SC-60-BLU-SQ	60%	\$1.33

BIRDGUARD™

STAINLESS STEEL BIRDSPIKES

FEATURES:

- 10 foot length of Stainless Steel Birdspikes
- Virtually invisible when installed
- Can be easily trimmed with tin snips
- 5 staggered spikes per cluster
- Protects up to 4 inches wide
- Humane bird control
- Eliminates bird waste
- Can be mounted in any direction or on any surface

SPECIFICATIONS:

- Lifetime Manufacturer Warranty
 - 2-3/4" x 1-1/2" x Chosen length
 - 10', 20', and 30' come with adhesive.
- Larger kits DO NOT include adhesive.**




ITEM CODE:	SIZE(ft.):	PRICE:
USNSSBS10FT	10'	\$49.14
USNSSBS20FT	20'	\$93.92
USNSSBS25FT	25'	\$107.99
USNSSBS30FT	30'	\$120.06
USNSSBS50FT	50'	\$212.81
USNSSBS75FT	75'	\$311.91
USNSSBS100FT	100'	\$400.21
USNSSBS250FT	250'	\$975.11

BIRD NETTING

PLASTIC ORIENTED NETTING

FEATURES:

- Effective for small birds and flying pests
- Comes in large rolls
- Weather-resistant
- UV-protected
- Safe and environmentally-friendly
- Ideal canopy for crop protection
- Use over ponds to protect fish



ITEM CODE:	ROLL SIZE(ft.):	COLOR:	PRICE:
LDCPN-79-141	14' x 100'	Black	\$239.78
LDCPN-79-145	14' x 500'	Black	\$625.52
LDCPN-79-141k	14' x 1,000'	Black	\$1,131.34
LDCPN-79-145k	14' x 5,000'	Black	\$4,430.94
LDCPN-79-157	15.5' x 700'	Black	\$867.14

ROPE CARGO NETS


MULTI-PURPOSE

FEATURES:




- Material: Poly Dacron
- Tracer: Color of tracer will vary
- 3/4" or 1" rope diameter
- 9, 10, or 12 inch openings
- Several border styles to choose from

TYPICAL ROPE CARGO NET APPLICATIONS:




- Obstacle Courses
- Physical Education
- Climbing
- Gangways
- Recreation
- Amusement Parks
- Construction
- Material Loading
- Home Applications
- Decoration



BORDER STYLES:

		
Loops on top	Loops on top and bottom	No loops


MESH SIZES:

ROPE DIAMETERS[in.]:

3/4"	
1"	
AVAILABLE SIZES[ft.]:	
4' x 6'	10' x 20'
4' x 8'	12' x 12'
8' x 8'	15' x 15'
10' x 10'	20' x 20'
10' x 12'	25' x 25'
10' x 16'	30' x 30'

**Call 1-800-331-2973 or visit
www.usnetting.com for pricing!**



DECORATIVE ROPE CARGO NETTING

KNOTTED POLYESTER

- Height: Netting sold in 42-inch height
- Length: 25 ft., 50 ft., 75 ft., 100 ft.
- Color: Natural
- Diameter: 3/8-inch
- Diamond Mesh Size: 2-1/4 to 3-inch

ITEM CODE:	HEIGHT(in.):	LENGTH(ft.):	PRICE:
DRN-25	42"	25'	\$412.91
DRN-50	42"	50'	\$857.59
DRN-75	42"	75'	\$1,130.75
DRN-100	42"	100'	\$1,715.18

PRO MANILA ROPE WITH LASHING CORD

ITEM CODE:	DIAMETER(in.):	LENGTH(ft.):	PRICE:
DRNR-1-25	1"	25'	\$47.64
DRNR-1-50	1"	50'	\$79.41
DRNR-1-75	1"	75'	\$112.44
DRNR-1-100	1"	100'	\$142.93
DRNR-112-25	1-1/2"	25'	\$120.70
DRNR-112-50	1-1/2"	50'	\$171.52
DRNR-112-75	1-1/2"	75'	\$247.75
DRNR-112-100	1-1/2"	100'	\$292.22



NOTE: When ordering rope border, please be sure to measure ALL SIDES where rope border is being used.

Pictured below are customer photos of decorative rope netting. Pro manila rope is also available in two diameters, which is often used for framing, railings or suspension. View the product pictures below for decoration ideas. If you need assistance, please call our sales team at 1-800-331-2973.



ROPE MATERIAL SPECIFICATION TABLE

Each rope we offer has unique strengths and weaknesses. Below are specifications of the most common ropes. Visit www.usnetting.com to view all of our available rope products.

STRENGTH:	MANILA	NYLON	POLYESTER	POLYPROPYLENE	POLYETHYLENE	KEVLAR™ 1*
Breaking Tenacity – (grams/denier)	5.0–6.0	7.0–9.5	7.0–9.5	6.5	6.0	18–26.5
Wet Strength vs. Dry	Up to 120%	85–90%	100%	100%	100%	95%
Shock-load Absorption Ability	Poor	Excellent	Good	Very Good	Fair	Poor

WEIGHT:	MANILA	NYLON	POLYESTER	POLYPROPYLENE	POLYETHYLENE	KEVLAR™ 1*
Specific Gravity	1.38	1.14	1.38	0.91	0.95	1.44
Floats	No	No	No	Yes	Yes	No

ELONGATION:	MANILA	NYLON	POLYESTER	POLYPROPYLENE	POLYETHYLENE	KEVLAR™ 1*
Percent at Break	10–12%	18–25%	12–15%	15–25%	15–25%	1.5–3.6%
Creep (extension under sustained load)	Very Low	Moderate	Low	High	High	Very Low

EFFECTS OF MOISTURE:	MANILA	NYLON	POLYESTER	POLYPROPYLENE	POLYETHYLENE	KEVLAR™ 1*
Water Absorption of Individual Fibers	Up to 100%	2–8%	< 1%	None	None	3.5–7.0%
Dielectric Properties	Very Poor	Poor	Good	Excellent	Excellent	Poor

DEGRADATION:	MANILA	NYLON	POLYESTER	POLYPROPYLENE	POLYETHYLENE	KEVLAR™ 1*
Resistance to UV in Sunlight	Good	Good	Excellent	Poor (black is best)	Fair (black is best)	Fair
Resistance to Rot and Mildew	Poor	Excellent	Excellent	Excellent	Excellent	Excellent
Storage Requirements	Dry Only	Wet or Dry	Wet or Dry	Wet or Dry	Wet or Dry	Wet or Dry

ROPE ABRASION RESISTANCE:	MANILA	NYLON	POLYESTER	POLYPROPYLENE	POLYETHYLENE	KEVLAR™ 1*
Surface	Fair	Very Good	Very Good	Good	Good	Fair
Internal	Fair	Excellent	Excellent	Good	Good	Poor

THERMAL PROPERTIES:	MANILA	NYLON	POLYESTER	POLYPROPYLENE	POLYETHYLENE	KEVLAR™ 1*
Melts at	Does not melt, Chars at 350°	420–480°	490–500°	330°	275°	800° begins to decompose

RESISTANCE 3*:	MANILA	NYLON	POLYESTER	POLYPROPYLENE	POLYETHYLENE	KEVLAR™ 1*
Resistance to Acids	Poor	Fair	Good	Good	Excellent	Fair
Resistance to Alkalis	Poor	Very Good	Poor	Good	Excellent	Fair
Resistance to Oils and Gas	Poor	Very Good	Good	Good	Very Good	Very Good

1* Based on DuPont™ Kevlar™ data

STAINLESS STEEL CABLE NETTING

FOR EXTREME ENVIRONMENTS

FEATURES:

- Handmade in the USA
- Incredible strength
- Stainless steel
- Long lasting
- Detailed custom nets
- Unlimited configurations and sizes
- High security
- Underwater applications in fresh or salt water




HOW IT'S MADE




IDEAL FOR:

- Lifting
- Mining
- Construction
- Containment
- Heavy duty barrier
- Highway protection
- Large item filtration



Sample sizes listed below. Custom sizes and configurations available.



CALL 1-800-331-2973 OR VISIT WWW.USNETTING.COM FOR PRICING!

4 INCH OPENING		
MFR. PART #	SIZE(ft.):	DIA.(in.):
NTGSN-S-18-4-44	4' x 4'	1/8"
NTGSN-S-18-4-410	4' x 10'	1/8"
NTGSN-S-18-4-425	4' x 25'	1/8"
NTGSN-S-18-4-450	4' x 50'	1/8"
NTGSN-S-316-4-44	4' x 4'	3/16"
NTGSN-S-316-4-410	4' x 10'	3/16"
NTGSN-S-316-4-425	4' x 25'	3/16"
NTGSN-S-316-4-450	4' x 50'	3/16"

8 INCH OPENING		
MFR. PART #	SIZE(ft.):	DIA.(in.):
NTGSN-S-18-8-44	4' x 4'	1/8"
NTGSN-S-18-8-410	4' x 10'	1/8"
NTGSN-S-18-8-425	4' x 25'	1/8"
NTGSN-S-18-8-450	4' x 50'	1/8"
NTGSN-S-316-8-44	4' x 4'	3/16"
NTGSN-S-316-8-410	4' x 10'	3/16"
NTGSN-S-316-8-425	4' x 25'	3/16"
NTGSN-S-316-8-450	4' x 50'	3/16"

12 INCH OPENING		
MFR. PART #	SIZE(ft.):	DIA.(in.):
NTGSN-S-18-12-44	4' x 4'	1/8"
NTGSN-S-18-12-410	4' x 10'	1/8"
NTGSN-S-18-12-425	4' x 25'	1/8"
NTGSN-S-18-12-450	4' x 50'	1/8"
NTGSN-S-316-12-44	4' x 4'	3/16"
NTGSN-S-316-12-410	4' x 10'	3/16"
NTGSN-S-316-12-425	4' x 25'	3/16"
NTGSN-S-316-12-450	4' x 50'	3/16"

CUSTOM NETTING - OUR SPECIALTY




We specialize in custom products. In fact, 90% of what we produce in our shop is custom made. Each custom net is tailored to the requirements of the job, providing the exact solution the project requires, something big box stores cannot supply. Our team possesses a staunch devotion to fabricating the best nets available.


We are considered by many as the premier supplier and fabricator of custom nets. We can customize just about everything. Some examples include: lifting nets, drone cage netting, Kevlar™ reinforced netting, safety barrier nets, railgun testing nets, steel nets, rope cargo nets, sports netting, and more! Below are actual custom-made products in use today.



**FAA CERTIFIED REPAIR
STATION #9NTR146D**

CALL US AT 1-800-331-2973 TO GET STARTED ON YOUR CUSTOM SOLUTION!










US NETTING ORDER SHEET

Date_____

Fax order to 1-814-455-9336

BILL TO:

Name: _____

Company: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone #: _____

Email: _____

SHIP TO:

Name: _____

Company: _____

Address: _____

City: _____ State: _____ Zip: _____

PRODUCT CODE:	DESCRIPTION:	QUANTITY:	PRICE:
		TOTAL:	

Please note that all orders are non-returnable.

One-Time Credit Card Payment Authorization

By signing this form you give us permission to debit your account for the amount indicated below. This is permission for a single transaction only and does not provide authorization for any additional debts or credits to your account.

Credit Card#: _____ Expiration Date: _____ CCV: _____

Signature: _____



PARTIAL CLIENT LIST:



- 20th Century Fox
- Archer Daniels Midland
- Brookhaven National Lab
- E & J Gallo
- Harvard University
- Missouri D.O.T.
- New England Patriots
- New York D.O.T.

- New York Department of Parks & Recreation
- New Mexico National Guard
- NOAA, Juneau, AK
- Ohio D.O.T.
- O.C.S. - Quantico, Va
- Parker Hannifin
- Pennsylvania D.O.T.

- PGA Tour
- Smithsonian National Zoological Park
- U.S. Department of Energy
- U.S. Fish and Wildlife
- U.S. Army Corps of Engineers
- Weyerhaeuser



1514 Veshecco Dr.,
Erie, PA 16501

CALL US AT
1-800-331-2973

ORDER ONLINE AT
usnetting.com

